

**Dee Fog Spray** 

## **SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION**

1.1 Trade Name (as labeled): Dee Fog Liquid

Synonyms: N/A CAS No: Mixture

1.2 Product Use: Glass cleaner

1.3 Company Name: Cetylite

Company Address: 9051 River Road

Company Address Cont: Pennsauken, NJ 08110

Business Phone: (800) 257-7740 or (856) 665-6111

Website: <u>www.cetylite.com</u>

1.4 Emergency Telephone Number: (800) 257-7740

Date of Current Revision: November 5, 2022

Date of Last Revision: November 14, 2017

#### **SECTION 2 - HAZARD IDENTIFICATION**

**EMERGENCY OVERVIEW:** This product is a clear liquid with a cherry odor. May cause serious eye damage. Harmful if swallowed. Inhalation of vapors can cause drowsiness or dizziness. Irritating to skin and respiratory system.

This product is a Combustible liquid with a flash point >105°F.

The Environmental effects of this product have not been investigated. Release of this product is not anticipated to have

significant adverse effects in the aquatic environment.

## **US DOT Symbols:**



#### **EU and GHS Symbols:**

Signal Word: Danger!

# 2.1 CLASSIFICATION OF SUBSTANCE OR MIXTURE IN ACCORDANCE WITH 29 CFR 1200 (OSHA HCS) AND THE EUROPEAN UNION DIRECTIVES:

This product does meet the definition of a hazardous substance or preparation as defined by 29 CFR 1910. 1200 or the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

## **EU HAZARD CLASSIFICATION OF INGREDIENTS:**

#### Index Number:

EC# 231-791-2 This substance is not classified in the Annex VI

EC# 200-661-7 Annex VI Index# 603-117-00-0

EC# 500-209-1 This substance is not classified in the Annex VI EC# 200-338-0 This substance is not classified in the Annex VI

EC# 204-886-1 This substance is not classified in the Annex VI

Proprietary Cherry Flavor is not listed in Annex VI EC# 269-919-4 This substance is not classified in the Annex VI

Substances not listed either individually or in group entries must be self-classified.

Components Contributing to Classification: Isopropyl Alcohol, Surfactant, Propylene Glycol

#### 2.2 Label Elements:

**GHS Hazard Classifications:** Flammable liquid Category 3

Eye Irritant Category 2A

Specific Target Organ Toxicity - Single Exposure Category 3

**Hazard Statements:** H226: Flammable liquid and vapor

H319: Causes serious eye irritation H336: May cause drowsiness or dizziness

P210 Keep away from heat, hot surfaces, sparks, open flames and other **Prevention Statements:** 

ignition sources. No smoking

P233: Keep container tightly closed.

P240 Ground/Bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261: Avoid breathing mist/vapors/spray P264: Wash hands thoroughly after handling

P270: Do not eat, drink or smoke when using this product.

P280: Wear protective gloves/protective clothing/eye protection/face

protection

P273 Avoid release to the environment

**Response Statements:** P303+P361+P353: IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower.

P370+P378: In case of fire use water, foam, dry chemical, carbon dioxide or

halon to extinguish.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

P337+P313: If eye irritation persists: Get medical advice/attention.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable

for breathing.

P312: Call a POISON CENTER/doctor if you feel unwell. P403+P235: Store in well-ventilated place. Keep cool. **Storage Statements:** 

P405: Store locked up.

P501 Dispose of contents/container in accordance with local/regional/ **Disposal Statements:** 

national/international regulations.

## 2.3 Other Hazards:

None Applicable

# **SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS**

Hazardous Ingredients:	WT%	CAS No.	EINECS No.	Hazard Classification
Water	70 - 80%	7732-18-5	231-791-2	Not Classified
Isopropyl Alcohol	5 – 15%	67-63-0	200-661-7	Flammable Liq 2, Eye Irritant Cat 2, STOT SE 3
Surfactant	1 – 10%	68412-54-4	500-209-1	Eye Irritant Cat 2, STOT SE 3
Propylene Glycol	1 – 10%	57-55-6	200-338-0	Not Classified
Sodium Saccharin	0.5 – 2%	128-44-9	204-886-1	Eye Irritant Cat 2
Cherry Flavor	0.5 – 2%	Proprietary	Not Listed in ESIS	Not Classified
Quaternary Amine	0.5 – 2%	68391-01-5	269-919-4	Eye Irritant Cat 2

Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

## **SECTION 4 - FIRST AID MEASURES**

## 4.1 Description of First Aid Measures:

Inhalation:

Cetvlite

If product enters the eyes, flush with plenty of water or eye wash solution for several minutes. Remove contacts if present and easy to **Eye Contact:** 

do. Seek medical attention if irritation persists.

Wash skin thoroughly with soap and water after handling. Seek medical **Skin Contact:** 

attention if irritation develops and persists.

If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical

attention.

Page 2 of 8

Ingestion:

If product is swallowed, call physician or poison center immediately. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

Medical Conditions Generally Aggravated by Exposure:

Pre-existing skin or eye problems may be aggravated by prolonged contact.

4.2 Symptoms and Effects Both Acute and Delayed:

Exposure to skin or eyes may cause irritation.

4.3 Recommendations to Physicians:

Treat symptoms and eliminate overexposure.

## **SECTION 5 - FIRE FIGHTING MEASURES**

## 5.1 Fire Extinguishing Materials:

Use the following fire extinguishing materials: Water Spray: Yes Carbon Dioxide: Yes

Foam: Yes Dry Chemical: Yes Halon: Yes Other: Any "C" Class

#### 5.2 Unusual Fire and Explosion Hazards:

5.3 Special Fire-Fighting Procedures:


Irritating and toxic fumes may be produced at high temperatures. Use of water may result if the formation of a toxic aqueous solution. Do not allow run-off from firefighting to enter drains or water courses.


Explosive Sensitivity to Mechanical Impact:
Explosive Sensitivity to Static Discharge:

No Yes

Hazard Scale: 0 = Minimum 1 = Slight 2 = Moderate 3 = Serious 4 = Severe \* = Chronic Hazard

- Incipient fire responders should wear eye protection.
- Structural firefighters must wear Self-Contained Breathing Apparatus (SCBA) and full protective equipment.
- Isolate materials not yet involved in the fire and protect personnel.
   Move containers from fire area if this can be done without risk;
   otherwise, cool with carefully applied water spray.
- If possible, prevent run-off water from entering storm drains, bodies of water, or other environmentally sensitive areas.





Cetylite Page 3 of 8

# **SECTION 6 - ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)**

## 6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Use cautious judgment when cleaning up spill. Wear suitable protective clothing, gloves, and eye/face protection.

#### **6.2 Environmental Precautions:**

Construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils.

## 6.3 Spill and Leak Response:

**Small Spills:** 

Large Spills:

 Collect material via broom or mop. Place in tightly sealed container for proper disposal. Approach spill areas with caution.

If liquid was introduced, create a dike or trench to contain material.
 Soak up with absorbent material such as clay, sand or other suitable non-reactive material.

Place in leak-proof containers. Seal tightly for proper disposal.

 Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

## **SECTION 7 - HANDLING AND STORAGE**

#### 7.1 Precautions for Safe Handling:

To prevent eye contact under the foreseeable conditions of use, wear appropriate safety eyewear. When handling, do not eat, drink, or smoke. Wash thoroughly after handling. Do not handle or store near heat, sparks, or flame.

#### 7.2 Storage and Handling Practices:

Keep away from incompatible materials. Keep container closed when not in use and store in well ventilated area.

#### 7.3 Specific Uses:

Glass cleaner.

## **SECTION 8 - EXPOSURE CONTROL/PERSONAL PROTECTION**

## 8.1 Exposure Parameters:

Ingre	<u>lients</u>	CAS No.	OSHA PEL	NIOSH PEL
Isopropyl	Alcohol	67-63-0	400 ppm	200 ppm
Propylene	e Glycol	57-55-6	10 mg/m³ Aerosol	10 mg/m³ Aerosol

## **8.2 Exposure Controls:**

#### **Ventilation and Engineering Controls:**

Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132), or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

Respiratory Protection:

Not required for properly ventilated areas.

Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

Safety glasses or goggles are recommended.

If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian

If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.

Chemical resistant gloves are recommended to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.

Eye Protection:

Hand Protection:

Cetylite Page 4 of 8

**Body Protection:** 

Use body protect appropriate to task being performed. If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136.

## **SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1 Information on Basic Physical and Chemical Properties:

Appearance (Physical State and Color): This product is a clear liquid

**Odor:** Cherry odor

Odor Threshold: No data available

**pH:** 8.0

Melting/Freezing Point: No data available

**Boiling Point: 212°F** 

Flash Point: >105°F (>40.5°C) Evaporation Rate: No data available Flammability (Solid; Gas): No data available

Upper/Lower Flammability or Explosion Limits: No data available

Vapor Pressure (mm Hg @ 20°C (68° F): No data available

Vapor Density: No data available Relative Density: Not Available Specific Gravity: 0.9980

**Solubility in Water:** No data available **Weight per Gallon:** No data available

Partition Coefficient (n-octanol/water): No data available

**Auto-Ignition Temperature:** No data available **Decomposition Temperature:** No data available

Viscosity: No data available

9.2 Other Information: No data available

## SECTION 10 - STABILITY AND REACTIVITY

10.1 Reactivity: This product is not reactive.

**10.2 Stability:** Stable under conditions of normal storage and use.

10.3 Possibility of Hazardous Reactions: Not identified.

**10.4 Conditions to Avoid:**Contact with incompatible materials, ignition sources

**10.5 Incompatible Substances:** Strong oxidizing agents.

When heated to decomposition this product may contain carbon dioxide, carbon monoxide and unidentified toxic and/or irritating

compounds.

## **SECTION 11 - TOXICOLOGICAL INFORMATION**

## 11.1 Information on Toxicological Effects:

#### **Toxicity Data:**

Isopropyl Alcohol	67-63-0	LD50 Oral – Rat	4,700 – 5,800 mg/kg
Propylene Glycol	57-55-6	LD50 Oral – Rat	20,000 mg/kg

Acute toxicity	Based on available data, the classification criteria are not met
Skin corrosion / irritation	Based on available data, the classification criteria are not met
Serious eye damage / irritation	Eye Irritant Category 2A
Respiratory or skin sensitization	Based on available data, the classification criteria are not met
Germ cell mutagenicity	Based on available data, the classification criteria are not met
Carcinogenicity	Based on available data, the classification criteria are not met
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	Specific Target Organ Toxicity – Single Exposure Category 3
STOT-repeated exposure	Based on available data, the classification criteria are not met
Aspiration hazard	Based on available data, the classification criteria are not met

Cetylite Page 5 of 8

#### **Routes of Exposure:**

## Symptoms of Overexposure by Route of Exposure:

The most significant routes of overexposure for this product are by contact with skin or eyes, ingestion or inhalation. The symptoms of overexposure are described in the following paragraphs.

Acute:

Inhalation: Inhalation of vapors may irritation of the upper respiratory system and / or drowsiness / dizziness.

Skin Contact: Contact with skin may cause skin irritation with local redness.

Eye Contact: Vapors and direct contact to the eyes may be irritating.

Inaestion: May be harmful if swallowed.

Chronic: None known **Target Organs:** 

Irritancy:

Acute: Skin, Eyes, Respiratory System

Chronic: None known

None of the ingredients are found on the following lists: FEDERAL OSHA Z LIST, NTP, CAL/OSHA, IARC and therefore is not considered **Suspected Cancer Agent:** 

to be, nor suspected to be a cancer-causing agent by these agencies. Contact with this product can be irritating to exposed skin, eyes and

respiratory system.

Sensitization to the Product: This product is not expected to cause skin sensitization.

This product does not contain ingredients that are suspected to be a Germ Cell Mutagenicity:

germ cell mutagenic.

Reproductive Toxicity: This product is not expected to be a human reproductive toxicant.

**SECTION 12 - ECOLOGICAL INFORMATION** 

12.1 Toxicity: No specific data available on this product.

12.2 Persistence and Degradability: No specific data available on this product. 12.3 Bioaccumulative Potential: No specific data available on this product. 12.4 Mobility in Soil: No specific data available on this product. 12.5 Results of PBT and vPvB Assessment: No specific data available on this product.

12.6 Other Adverse Effects: No data available.

12.7 Water Endangerment Class: At present, there are no ecotoxicological assessments for this product.

**SECTION 13 - DISPOSAL CONSIDERATIONS** 

Waste disposal must be in accordance with appropriate U.S. Federal,

State, and local regulations, those of Australia, EU Member States

and Japan.

Not determined 13.2 EU Waste Code:

#### **SECTION 14 - TRANSPORTATION INFORMATION**

## 14.1 U.S. Department of Transportation (DOT) Shipping Regulations:

This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

**UN Identification Number:** 

**Proper Shipping Name:** Flammable Liquid, n.o.s. (Contains Isopropyl Alcohol)

**Hazard Class Number and Description:** Flammable liquid Class 3

**Packing Group: PGIII** 

DOT Label(s) Required: Flammable liquid Class 3

North American Emergency Response Guidebook

Number:

128

14.2 Environmental Hazards:

13.1 Waste Treatment Methods:

The components of this product are not designated by the Department **Marine Pollutant:** of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix

B).

14.3 Special Precaution for User: None

14.4 International Air Transport Association Shipping

Information (IATA):

This product is considered as dangerous goods.

Cetvlite Page 6 of 8

14.5 International Maritime Organization Shipping Information (IMO):

This product is considered as dangerous goods.

#### **SECTION 15 - REGULATORY INFORMATION**

## 15.1 Safety, Health and Environmental Regulations Specific for the Substance or Mixture:

**United States Regulations:** 

#### **U.S. SARA Reporting Requirements:**

The components of this product are subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.

Isopropyl Alcohol (CAS# 67-63-0)

Sodium Nitrite (CAS# 7632-00-0)

#### U.S. SARA 311/312:

Acute Health: Yes; Chronic Health: No; Fire: Yes; Reactivity; No

U.S. SARA 313: None known

# U.S. CERCLA Reportable Quantity:

No data available.

# **U.S. TSCA Inventory Status:**

The components of this product are listed on the TSCA Inventory or are exempted from listing.

#### Other U.S. Federal Regulations:

None known

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65): This product does not contain ingredients on the Proposition 65 Lists.

## 15.2 Canadian Regulations:

## Canadian DSL/NDSL Inventory Status:

Components are DSL Listed, NDSL Listed and/or are exempt from listing

## Other Canadian Regulations:

Not applicable

## Canadian Environmental Protection Act (CEPA) Priorities Substances Lists:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by those regulations.

## **Canadian WHMIS Classification and Symbols:**

Classified per WHMIS 2015 Controlled Product Regulations.

# 15.3 European Economic Community Information:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives. See Section 2 for Details.

## **Chemical Safety Assessment:**

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

## **15.4 Australian Information for Product:**

Components of this product are listed on the International Chemical Inventory list.

## 15.5 Japanese Information for Product:

Japanese Minister of International Trade and Industry (MITI) Status: The components of this product are not listed as Class I specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

## 15.6 International Chemical Inventories:

Listing of the components on individual country Chemical Inventories is as follows:

Australian Inventory of Chemical Substances (AICS): Listed

Korean Existing Chemicals List (ECL): Listed

Japanese Existing National Inventory of Chemical Substances (ENCS): Listed

Philippines Inventory of Chemicals and Chemical Substances (PICCS): Listed

U.S. TSCA: Listed

Cetylite Page 7 of 8

## **SECTION 16 - ADDITIONAL INFORMATION**

Prepared By: Chris Eigbrett (MSDS to GHS Compliance)

Date of Printing: November 5, 2022

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. Cetylite assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, Cetylite assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

**END OF SDS SHEET** 

Cetylite Page 8 of 8